Core Switch SVI Configuration



Overview

This guide configures inter-VLAN routing on a Layer 3 switch with SVIs, end to end on Cisco IOS: enabling IP routing, building one SVI gateway per VLAN, and verifying that traffic routes between VLANs through the switch. Every command and all output come from a real. Local Area Network (LAN) communication deals with switches, while internetwork connectivity (i. e between different LANs or WANs) requires the use of a router. Layer 2 VLANs create what is known as a single broadcast domain, which simply means that when a broadcast message is sent within the same. A Switched Virtual Interface (SVI) is a routed interface in IOS representing the IP addressing space for a particular VLAN connected to this interface. There is no physical interface for the VLAN and the SVI provides the Layer 3 processing for packets from all switch ports associated with the VLAN. Only one VLAN interface can be associated with a VLAN, but configure a VLAN interface for a VLAN only when you want to route between. Learn exactly how to configure inter-VLAN routing on Netgear managed switches using the Command Line Interface — with full CLI command examples, VLAN IP addressing, gateway configuration, verification steps, and real-world troubleshooting tips.



© 2026 BAGYOU FIBRE NETWORKS · All rights reserved

Article Content

SVI configuration (Cisco)

A Switched Virtual Interface (SVI) is a routed interface in IOS representing the IP addressing space for a particular VLAN connected to this interface. There is no physical interface for

How to Configure VLANs and SVIs on Cisco Switches | NSC

Understanding how to configure VLANs (Virtual Local Area Networks) and SVIs (Switched Virtual Interfaces) on Cisco switches is crucial for network engineers aiming to optimize security and

Configuring SVI

About SVI A switch virtual interfaces (SVI) or VLAN interface, is a virtual routed interface that connects a VLAN on the device to the Layer 3 router engine on the same device. Only one VLAN interface can

How to Set Up VLAN Routing on a Netgear Managed Switch Using

Learn exactly how to configure inter-VLAN routing on Netgear managed switches using the Command Line Interface — with full CLI command examples, VLAN IP addressing, gateway

Switch Virtual Interface

About SVI External Encapsulation Scope In the context of a Layer 3 Out configuration, a switch virtual interfaces (SVI), is configured to provide connectivity between the ACI leaf switch and a router. By

Configure Layer 3 Switch SVI Routing | ComputingForGeeks

This guide configures inter-VLAN routing on a Layer 3 switch with SVIs, end to end on Cisco IOS: enabling IP routing, building one SVI gateway per VLAN, and verifying that traffic routes

SVI Cisco Guide (SWITCHED VIRTUAL INTERFACE)

A Switch Virtual Interface (SVI) is a logical interface configured on a layer 3 Switch where SVI has no physical interface and provides Layer 3 processing of packets from all switch ports

How to Configure SVI in Cisco Packet Tracer (Step-by-Step)?

Learn how to configure SVI (Switch Virtual Interface) in Cisco Packet Tracer step-by-step. Understand inter-VLAN routing on a Cisco switch.

© 2026 BAGYOU FIBRE NETWORKS - All rights reserved

Configuring SVIs: Switch Virtual Interfaces on Catalyst 9000

Create SVIs for inter-VLAN routing and management access on Cisco Catalyst 9000 switches. SVI configuration, IP routing, troubleshooting.

Cisco Catalyst 9800 Configuration Best Practices

Best practices: Switch Virtual Interface (SVI) for wireless management interface is recommended. Do not configure SVIs for client VLANs, unless really needed (e.g., DHCP relay) –

SVI configuration (Cisco)

How to create Switch Virtual Interface (SVI) - Cisco? With SVIs the switch will use a virtual Layer 3 interface to route traffic to other Layer 3 interfaces.

What is Switch Virtual Interface (SVI) – Everything to Know

Explore Switch Virtual Interface (SVI) in depth: from configuration on Layer 3 switches for inter-VLAN routing to advantages over traditional methods.

Understanding SVI in Cisco Networks | NSC

In the realm of Cisco network configurations, Switched Virtual Interfaces (SVI) stand out as pivotal elements that bridge the functionalities of

Cisco Inter-VLAN Routing and Switch Virtual Interface (SVI ...

Learn how to set up and configure Cisco inter-VLAN routing and SVI in production networks with this comprehensive tutorial. This video covers everything you need to know, from the basics to ...

What is an SVI in Networking? Difference Between SVI and VLAN

Switch (config)# interface fastEthernet 0/1 Switch (config-if)# switchport mode access Switch (config-if)# switchport access vlan 10 Wrap Up We have discussed what is an SVI in

How to Configure VLANs and SVIs on Cisco Switches | NSC

How to Configure VLANs and SVIs on Cisco Switches Understanding how to configure VLANs (Virtual Local Area Networks) and SVIs (Switched Virtual Interfaces) on Cisco switches is

Solved: 3560 LAN Base SVI configuration

The core switch is using VLAN 800 for management and I would like to configure ''interface vlan 800'' on the 3560 so we can manage remotely. Can this be done if we shut down the

© 2026 BAGYOU FIBRE NETWORKS - All rights reserved

SVI Cisco Guide (SWITCHED VIRTUAL INTERFACE)

Related – SVI vs VLAN By default, an SVI is created for the default VLAN (VLAN1) to permit remote switch administration. An Switch Virtual Interface cannot be activated unless

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://bagyou.es
Technical inquiry: https://bagyou.es/project-enquiry.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 BAGYOU FIBRE NETWORKS - All rights reserved